



Jofemar
VENDING

Coffeemar

BLUETEC

G23





COFFEEMAR BLUETEC G23
Dispensing Version



COFFEEMAR BLUETEC G23
Vending Version



VANDAL-PROOF
LOCK



OPTIMISED
CAPACITY AND
VOLUME



ENERGY-SAVING
LED LIGHTING



CARD AND COIN
PAYMENT
SYSTEMS

Coffeemar B L U E T E C G23

Because we care about your breaktime.

The new table-top range of machines represents the perfect combination of technological innovation, interactivity, special features and an elegant design.

With up to 11 selection buttons, depending on the model, the new G23 guarantees the best coffee offer and it stands out for its versatility and functionality when it comes to satisfy the most demanding tastes.

Featuring Jofemar's espresso coffee brewer, equips a motorized water distributor and an insulated aluminum boiler which improves the machine energy efficiency.

With an autonomy of 150 drinks, up to 230 if assembled to the support console, equips three canisters for instant products and another one for Coffee beans, two whippers and are fitted to equip coin mechanism or user cards.

FEATURES

- Pressure valve in the brewing unit to keep constant pressure during the complete brewing cycle.
- Motorised water distributor without electrovalves.
- Aluminium boiler with resistor and capped probes, with no contact with the water (avoiding o-rings and calcium oxide formation) and thermal insulation, which improves energy efficiency of the machine.
- Capacitive keyboard backlit with LED lighting to select products.
- Manual cup positioning at two possible heights thanks to the collapsible bracket system.
- Self-cleaning of mixing bowls.
- Product exit and grinder assembly: manual or automatic (programmable).
- Continuous temperature control of the water in the boiler.
- Coffee bean grinder assembly (own module).
- Easy cleaning and maintenance of removable elements.

STRUCTURE

- Tempered glass front embedded in metal, with no access to the sides.
- Smudge-proof stainless steel finishing.
- Steel cabinet treated against corrosion and rust and vandal-proof lock with a crowbar-resistant door integrated into the structure.

CREDIT MANAGEMENT

- Credit management in the vending version of the new G23 can be done either through a Jofemar coin mechanism, user cards or a banknotes reader can be fitted into the optional console.

PROGRAMMING

- General on site programming through the machine's keyboard, EasyFlash hand terminal, by telemetry through the terminal J-link Getaway with data access in the On-line J-SUITE management software.
- Data storage and stock control and accounting.

OPTIONS

- Console furniture and console table with drawer of cups.
- Independent water kit (25 l).
- Lighting and cup detection kit.
- Telemetry through J-link Getaway and J-SUITE On-line software.
- External console water filters: anti-scale or flavour.
- New version of the machine with autonomous tank of 5L.
- DEX protocol data extraction (optional).



Desktop console option.
Ready to install separately
or next to the console
already installed.

- Includes a manual cup dispenser, drawer for teaspoons and sugar.
- Total capacity of 170 cups (85 per channel).
- Possible external diameter of cups: between 70 and 74 mm.



	COFFEEMAR BLUETEC G23 Dispensing Version	COFFEEMAR BLUETEC G23 Vending Version
Services	150 / 230	150 / 230
Canisters	3+beans	3+beans
Selections+preselection	10+1	9+1
Whippers	2	2
Graphic display	92 x 53 mm	92 x 53 mm
Size	735 x 410 x 445 mm (1507 x 410 x 445 mm with console furniture)	
Weight	60 kg	64 kg
Mains water supply	3/4 GAS	3/4 GAS
Energy supply	230 V, 50 Hz*	230 V, 50 Hz*
Maximum power	1.100 watts	1.100 watts
Estimated energy consumption	1,02 Kwh/24 h. in stand-by mode	1,02 Kwh/24 h. in stand-by mode

*Check for other voltages



MOTORISED WATER
DISTRIBUTOR
WITHOUT
ELECTROVALVES



PRESSURE
VALVE IN THE
BREWING UNIT



ALUMINIUM
BOILER



TOUCH
KEYBOARD



SMUDGE-PROOF
STAINLESS
STEEL

CAPACITIES

Coffee beans	1.700 g
Powdered milk	1.100 g
Chocolate	900 g
Freeze dried coffee	350 g



Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA, Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com



VE-CT165EN01 R00
05/18

